

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

(43) International Publication Date  
4 July 2002 (04.07.2002)

PCT

(10) International Publication Number  
**WO 02/051250 A1**

(51) International Patent Classification<sup>7</sup>: A21D 2/26,  
2/36, 10/00, 13/04

Ann, M. [US/US]; 3160 Meadow Glen Street, Marion, IA  
52302 (US).

(21) International Application Number: PCT/US00/35524

(74) Agent: MCCRACKIN, Ann, M.; Schwegman, Lund-  
berg, Woessner & Kluth, P.O. Box 2938, Minneapolis, MN  
55402 (US).

(22) International Filing Date:  
28 December 2000 (28.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/746,556 22 December 2000 (22.12.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(63) Related by continuation (CON) or continuation-in-part  
(CIP) to earlier application:  
US 09/746,556 (CIP)  
Filed on Not furnished

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*):  
CARGILL, INCORPORATED [US/US]; Law Cen-  
ter 24, 15407 McGinty Road West, Minneapolis, MN  
55391 (US).

Published:  
— with international search report

(71) Applicants and

(72) Inventors: GILBERTSON, Dennis, B. [US/US]; 10208  
Hillside Lane, Minnetonka, MN 55305 (US). STARK,

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

(54) Title: FOOD PRODUCT COMPRISING GLUTEN, SOYA GRITS AND/OR SOYA FLOUR

(57) Abstract: The present invention includes a food ingredient comprising soy grits and gluten. The food ingredient is effective to make a food product having a structure substantially the same as a corresponding soy-free product made with wheat flour.

WO 02/051250 A1

## SPECIFICATION

FOOD PRODUCT COMPRISING GLUTEN, SOYA GRITS AND/OR SOYA FLOUR

5

This application is a Continuation-In-Part of U.S. Application Serial No. 09/293,661, filed April 16, 1999.

### Background of Invention

10           The present invention relates to an ingredient that adds vegetable protein and/or phytochemicals to leavened and unleavened food products.

          Soy products are known to have constituents of high nutritional value. One constituent is protein. The Food and Drug Administration, FDA, has recently proposed that food products containing 6.25 grams of soy protein per  
15   Reference Amount Customarily Consumed (RACC), that are low in fat and low in cholesterol as well, may carry a health claim. FDA has proposed that 4 servings of 6.25 grams of soy protein per day (25 grams total) as a part of a low fat, low cholesterol diet may reduce the risk of coronary heart disease.

          Soy also contains phytochemicals such as isoflavones, also referred  
20   to as phytoestrogens that have been associated with many positive health benefits. These health benefits include preventing hormone-dependent cancers and substantially eliminating symptoms such as hot flashes in peri- and post-menopausal women as well as reducing the risk of osteoporosis. Soy flour has been reported to have isoflavone concentrations ranging from about 1 mg/g to  
25   about 3 mg/g of soy flour. Isoflavone levels in soy flour generally exceed those in other soy products, such as soy protein concentrates and isolates. Soy flour is also a good source of dietary fiber, minerals and B vitamins.

          Despite their nutritional benefits, soy products have had only limited use in foods typically consumed in the United States because incorporation of  
30   soy products has produced deleterious effects on the organoleptic and textural properties of many types of foods. For example, soy-fortified bread, containing a high concentration of soy protein, typically exhibits undesirable characteristics

such as diminished loaf volume, poor crumb grain, an uneven, "bumpy" crust and a flavor that is bitter or "beany". A soy-fortified unleavened food typically has a dough that is sticky and that has a poor machinability. A soy-fortified dried dough, such as pasta is also soft and mealy in texture when cooked. These  
5 undesirable food properties have occurred with the use of soy flour, soy isolates and soy concentrates.

Patents such as the Mehlretter et al. patent, U.S. No. 3,949,093, which issued April 6, 1976, describe an incorporation of additives into a bread dough prior to baking in order to render the dough more amenable to receiving a  
10 higher protein concentration. In particular, the Mehlretter et al. patent describes adding to a dough, an ester of a fatty acid containing twelve to eighteen carbon atoms and polyoxyethylene ether of a propylene glycol glycoside containing one to two moles of combined fatty acid per mole and 5 to 20 moles of combined ethylene oxide per mole.

15 Foods that have a structure which is based upon components of wheat flour rely, in some manner, on the action of gluten, which is a component of the wheat flour. Gluten is a mixture of proteins present in wheat and in other cereal grains. Gluten is naturally occurring in wheat flour and is advantageous in making leavened products such as bread because it has an elastic, cohesive  
20 nature which permits it to retain carbon dioxide bubbles generated by leavening agents, and therefore to form a uniform air cell structure that defines the bread.

Wheat flour has historically contained about 10% to 12% protein by weight of the flour. More recently, gluten levels in some wheat grown in the United States have dropped to a concentration that does not support acceptable  
25 air cell formation in yeast leavened dough. As a consequence, some wheat flour produced in the United States is supplemented with wheat gluten that is added to wheat flour in order to elevate the gluten to levels of about 10% to 12%. Gluten represents about 90% of the protein content of wheat flour. The protein composition of wheat gluten comprises gliadin in a concentration of about  
30 39.1% by weight; glutenin in a concentration of about 35.1% by weight; and globulin in a concentration of about 6.75% by weight.

Attempts have been made to prepare baked products such as bread with soy flour and soy milk. These attempts have included an addition of gluten

in a soy-based dough in a proportion that is equivalent to the proportion of gluten in wheat flour, referred to herein as a "natural ratio." Breads produced with the proportion of gluten to soy were very dense and had a more coarse texture and had a non-uniform air cell network.

5

### Summary of Invention

In one product aspect, the present invention includes a food ingredient comprising soy grits and gluten. The food ingredient is effective to make a food product having a structure substantially the same as a soy-free product made with wheat flour.

Another product embodiment of the present invention includes a dry mix. The dry mix comprises gluten, soy grits and soy flour.

One other product embodiment of the present invention includes a kit for making a food product. The kit comprises a package enclosing gluten and a package enclosing soy grits. The kit also comprises printed indicia. The printed indicia provides instructions for blending the gluten and soy grits so that a weight percent ratio of at least about 1:1.5 gluten to soy grits is produced.

Another product embodiment of the present invention includes a baked leavened product with a substantially uniform air cell structure. The baked leavened product comprises a soy protein comprising soy grits, and gluten in a concentration effective to make a baked leavened product having a structure substantially the same as a corresponding soy-free product made with wheat flour.

One other product embodiment includes a baked unleavened product comprising soy protein and gluten. The soy protein comprises soy grits. The concentration of grits and gluten are effective to produce a structure in the baked unleavened product that is substantially the same as a corresponding soy-free product made with wheat flour.

In one method aspect, the present invention includes a method for increasing soy protein content in bread without increasing, density, or fragility of the bread. The method comprises providing soy grits, soy germ or other soy-based materials which do not require substantial hydration, or mixtures of these materials, and providing gluten. A dough is prepared comprising soy grits, soy

germ, or other soy-based materials which do not require substantial hydration, or mixtures of these materials, and gluten and wheat flour. The dough is baked to make a baked bread product.

5

### Detailed Description

In its product aspect, one embodiment of the present invention includes a food ingredient comprising an added vital wheat gluten ingredient, soy protein comprising soy grits and soy flour, and, for some embodiments, starch and L-cysteine. The food ingredient is used to make a high protein bread dough and baked bread comprising wheat flour. The baked bread has structural, textural, and organoleptic attributes of a wheat bread that is substantially free of soy protein. The added wheat gluten and soy protein in the food ingredient impart to the dough and baked bread, a protein concentration heretofore unknown for a wheat dough or bread, while also imparting a structure capable of a gas retention and a symmetry that is substantially the same as the symmetry of a wheat bread made with wheat flour that is substantially free of soy flour. The starch imparts to the bread dough a resistance to tearing during handling, proofing and baking. An addition of soy grits, at concentrations within a range of about 20% to 80% of soy protein concentration, reduces water adsorption of the dough, stickiness of the dough, and tearing during processing. Thus, more soy protein can be added to make a bread without negatively impacting physical and organoleptic properties of the bread. The addition of soy grits and starch to the bread dough also reduces moisture and browning in a finished baked bread product.

That an addition of soy protein comprising soy grits and soy flour increases the concentration of protein in the bread without negatively impacting other bread features is surprising because soy grits have heretofore been regarded as imparting an unpleasant flavor to bread. Also, soy grits have been thought to impart an undesirable mouthfeel and texture to baked bread. Furthermore, as discussed, soy protein in concentrations as high as about 20% by weight have imparted to bread products a dense irregular structure. Soy protein

concentrations of at least about 20% by weight are present in some embodiments of the baked bread of the present invention with substantially no adverse effect on bread texture and structure.

While soy grits are described, it is believed that other soy protein products that do not require substantial hydration are usable forms of soy protein. The other soy products include soy germ, texturized soy protein and mixtures of these materials.

In some embodiments, an L-cysteine ingredient is added as a dough conditioner to relax the bread dough. The L-cysteine aids in forming and processing the bread dough as well. The use of L-cysteine alone in bread dough is surprising because L-cysteine has not been regarded as an acceptable antioxidant for bread and bread dough.

In one product aspect, the present invention includes a bread dough comprising soy protein in excess of 5% by weight. The soy protein comprises soy flour in a concentration at least about 10% by weight and soy grits in a concentration of at least about 10% by weight. Other ingredients include vital wheat gluten in a concentration of at least about 4% by weight, and, for some embodiments, starch in a concentration of at least about 2% by weight.

The addition of the food ingredient of the present invention comprising vital wheat gluten, soy flour and soy grits, and, for some embodiments, starch, to the bread dough improves handling and processing of the dough and also increases resistance to tearing and/or shredding of the dough and the finished bread. The finished bread made with these ingredients has a greater volume and an improved texture as compared to a bread made with soy flour only or as compared with a bread made with soy flour and gluten. The finished baked bread product containing soy grits displays less browning in that the baked bread has a lighter color than a bread made without soy grits and with an elevated soy flour concentration.

The added gluten and soy flour are present in a proportion that is substantially greater than the proportion of gluten which is naturally present in wheat flour. In one particular embodiment, the ratio of added gluten to soy flour is at least about 1.5 times the natural ratio of gluten to wheat flour. The

ratio of gluten to weight percent concentrations of soy flour in a dough product ranges from about 0.20 to about 0.50.

While added gluten is described, it is believed that a flour made with wheat genetically created to have the added gluten incorporated therein is usable  
5 in embodiments of the present without an addition of gluten.

Soy grits are also present in the food ingredient of the present invention in a ratio, for some embodiments, of gluten to soy grits that is at least about 1.5 times the natural ratio of gluten to wheat flour.

In one product aspect, the present invention is a high protein bread  
10 dough composition. The composition includes a soy flour, soy grits, starch and L-cysteine. These ingredients act together to make a bread dough and baked bread product that imparts to the dough and baked bread, the volume, structural integrity and flexibility of a wheat bread free of soy protein. One straight bread dough of the present invention was made with the following ingredients:

15

Ingredients	Percent
Flour, High Protein Bread	27.77995
Soy Flour	12.66
Soy Grits	11.71
Vital Wheat Gluten	4.10
Soybean Oil	2.54
Starch	2.20
Salt	1.25
Mono and Di-glycerides	0.50
Sodium Stearoyl Lactylate	0.50
L-Cysteine	0.00005
Fresh Yeast	1.90
Water	34.86
Total	100.00

This dough was made by adding water to a mixing bowl. Other ingredients were added to the water to make a mixture. The mixture was blended, using a Hobart A-200 mixer, in a 20 quart bowl and a paddle, for 7 minutes on medium speed, or until the dough was fully developed. The dough  
5 temperature was 82 to 86 degrees Fahrenheit.

Once mixed, the dough was divided into portions and was allowed to rest for 10 minutes. The precise time of resting was variable. Once rested, the dough was molded and proofed to a desired height. Once proofed, the dough was baked for 20 to 40 minutes at 305 to 425 degrees Fahrenheit.

10 The term, "natural ratio", as used herein refers to the ratio of gluten to wheat flour that is present in wheat flour without addition or treatment other than grinding. The "natural ratio" is based upon a gluten concentration in wheat flour of about 10 to 12 percent by weight of the wheat flour and ranges from about 0.11:1 for 10 percent gluten to 0.14:1 for 12 percent gluten. For purposes of  
15 clarity herein, the value of the natural ratio is 0.14:1 gluten to wheat flour.

The term "soy free" as used herein refers to a material that comprises no more than about five percent soy protein by weight.

The term "baked" as used herein refers to heating a dough or batter to fix a final structure through methods that include but are not limited to, frying,  
20 boiling, or heating in air.

The term "soy flour" as used herein refers to defatted soy flour and to soy flour with fat. Oil content in soy flour ranges from less than one percent for defatted soy flour to 18 to 20 percent for full fat soy flour. Soy flour may contain many of the phytochemicals of a soybean. Soy flour comprises  
25 isoflavones in concentrations ranging from about 1 mg/g to about 3 mg/g of soy flour.

The term "soy grits" as used herein refers to a product obtained from milling defatted soybeans into coarse, medium or fine grit size pieces in accordance with process steps described herein. Grits are prepared by sizing soy  
30 flakes to a particle size that is greater than about 100 mesh.

The food ingredient of the present invention is effective in making leavened doughs and is believed to be effective in making unleavened doughs and baked and dried goods that have structures and heights that are substantially



the same as soy free products. These products have flavors and mouthfeels that are pleasing and that are substantially free of undesirable bitterness and "beanyness." The ratio of gluten to soy flour + soy grits ranges from about 0.07:1 to about 0.50:1 in the product for some embodiments.

5           In comparison, the natural ratio of gluten to wheat flour is about 0.14:1. However, the protein concentration of bread made with the wheat flour is less than the concentration of at least about 10% to 20% soy protein in the bread of the present invention. The food ingredient of the present invention, when used in conjunction with other ingredients used to make leavened and  
10       unleavened doughs and baked and dried products, produces products that have elevated concentrations of soy protein while unexpectedly retaining the structural properties and heights of specific leavened or unleavened foods. Products of the present invention have flavors that are not distastefully bitter and that are organoleptically pleasing.

15           Another embodiment of the present invention includes a leavened dough utilizing a straight dough method, or sponge, or a yeast leavened rolled-in dough, or an unleavened dough, or a dried dough made with the food ingredient. The leavened dough comprises defatted soy flour in a concentration of at least about 14 percent by weight of the dough. The unleavened dough and dried  
20       dough each comprise soy flour and soy grits in a concentration of at least about 7.5 percent by weight of the unleavened dough or dried dough.

          The straight dough comprises a system of substantially uniform air cells that develop as do air cells in a soy-free straight dough. the sponge also comprises a system of substantially uniform air cells that develop as do air cells  
25       in a soy-free sponge made with wheat flour. The unleavened dough also comprises a system of air cells and protein network that develops as do soy-free unleavened doughs made with wheat flour. The dried dough comprises a protein network that develops as does a soy-free dried dough used to make a pasta.

          One other embodiment of the present invention includes a baked  
30       dough product made with the food ingredient wherein the baked product has a soy protein concentration of at least about 3 grams of soy protein per 50 grams, or about 6% by weight of the product. This concentration compares to a conventional concentration of up to 3% soy protein by weight. The soy protein

includes, for some embodiments, both soy grits and soy flour. The baked product has a structure and height that are substantially the same as if the product were soy-free. The baked product is free of distasteful bitterness and is generally organoleptically pleasing. Baked products with the food ingredient of the present invention include breads such as French bread, Italian bread, brioche, "wheat" bread, egg bread, multi-grain bread, buns, pizza crusts, pita bread, calzones, baguettes, bagels, potato bread, variety bread, bread-based products such as bread sticks, rolled-in products such as rolls and pie crust, and unleavened products such as tortillas, and flatbread. Baked products also include chemically leavened products such as pancakes and waffles. However, soy protein levels in these products may be lower than 3 grams per 50 grams. Protein and/or phytochemical enhanced dried products of the present invention include pasta such as fettuccine, macaroni, spaghetti, rigatoni, fucilli, linguine, cannelloni, ravioli, trenette, lasagne and noodles.

One reason why the performance of the food ingredient of the present invention is unexpected is that it provides a significantly higher proportion of protein than one would expect in leavened products, based upon a wheat flour model while also having a food structure and texture that are substantially the same as a soy-free, lower protein product made with a flour other than soy flour, such as wheat flour.

Semolina is one type of wheat flour utilized in making pasta. Gluten is the principal source of protein for semolina and for other types of wheat flour. Additionally, as described, wheat gluten is the principal agent responsible for desirable protein network development.

Even soy-based yeast leavened products made with gluten in a concentration conforming to the natural ratio of gluten to wheat flour do not resemble soy-free products made with wheat flour when made without soy grits. Instead, these products resemble soy-based, gluten-free products. These low gluten-containing soy products have a fragile air cell network that cannot withstand proofing, like soy-based, gluten free products. The air cell network is very coarse, and uneven, and produces a product that is susceptible to crumbling and disintegration. This unsatisfactory texture has occurred even though the ratio of gluten to soy flour in the bread product was 0.14:1 gluten to soy, which

is the natural ratio. Bread products made with ratios less than 0.14:1 have even poorer textures and greater densities.

Soy-based unleavened products made with the natural ratio of gluten to wheat flour are softer than corresponding soy-free products. These products  
5 have a fragile structure and are susceptible to crumbling.

Previous efforts at making a protein-enhanced food ingredient have utilized soy products such as soy concentrate or soy isolate. These soy products have produced unsatisfactory baked foods and dried goods such as pasta. The baked goods have had a generally dense and gummy texture. The dried goods  
10 have had a generally soft texture susceptible to decomposition. It has surprisingly been found that use of soy flour, particularly defatted soy flour, and soy grits, in conjunction with gluten in a ratio that is at least 1.5 times the natural ratio of gluten in wheat flour permits a fortification with a much greater protein concentration and/or phytochemical concentration than one skilled in the art  
15 would expect in light of the poor performance of the soy concentrate, soy isolate, and soy flour with a natural ratio of added gluten.

The expected deficiencies associated with elevated soy protein concentration and elevated gluten concentration do not occur in baked and dried products made with the ingredient of the present invention. To the contrary,  
20 elevated concentrations of soy flour, soy grits, and added gluten, in combination, produce a texturally desirable product that has an increased height and elevated protein content and phytochemical content.

In one embodiment of the food ingredient of the present invention, the added gluten is a vital wheat gluten, fortified with vitamin C, which is a  
25 dried, insoluble gluten protein of wheat flour from which the starch and soluble components have been removed by a washing process and which has been dried to a fine powdered state. Vital wheat gluten typically has a percent protein on a dry basis of 75 to 81 percent. The protein constituent breakdown of wheat gluten protein utilized in the ingredient of the present invention, in one  
30 embodiment, is substantially the same as the protein constituent breakdown of natural wheat gluten.

In one embodiment, the soy flour used in the food ingredient of the present invention is a defatted soy flour and is a by product of a soy oil

extraction process. In one embodiment, the soy flour is 200 mesh and has a 70 PDI, as measured in a Protein Dispersion Index, PDI, which is regarded as moderate.

While defatted flour is described, it is believed that full fat, re fatted, and lecithinated soy flour may be used in the present invention. It is believed that flour having a PDI within a range of 15 to 75 is usable for use in the present invention. It is believed that soy products such as soy concentrates and soy isolates may also be used, at least in combination with soy flour, with an elevated concentration of gluten to make a product of the present invention.

The defatted soy flour may be blended directly with the gluten, soy grits, and, for some embodiments, starch, in a specified ratio of about 4:24:2 gluten to soy flour + soy grits, and for some embodiments, starch. In one yeast leavened bread embodiment, the ratio is 4:12.66:11.71:2.2 gluten to soy flour to soy grits to starch. This ratio is based upon the weight of gluten and the weight of defatted soy flour used in a particular formulation prior to mixing with other ingredients and prior to baking or drying. These particular ratios are presented for example only and are not intended to limit the scope of the present invention.

In another embodiment, the soy flour, soy grits, added gluten and starch are separately packaged or contained but are provided to a user with instructions for combining them. The package sizes may range from small sizes for a household to a bulk tank. Alternatively, the gluten, soy protein, and starch are separately packaged in accordance with the ratio of about 4:24:2 so that a user may merely combine the packages to prepare the ingredient.

One other embodiment of the present invention includes a dry mix that comprises the food ingredient of the present invention. The dry mix is usable to make a specific product, such as a specific type of bread. The dry mix may be packaged with instructions for preparation and, in some instances, with molds for shaping the particular final product. For instance, a dry mix for making protein enhanced wheat bread of the present invention may be packaged with a mold for making hamburger buns or a mold for making hot dog buns.

Another embodiment of the present invention includes a dough usable to make a baked, yeast leavened food product. It is believed that the present invention is usable to make an unleavened food product or dried dough

such as pasta. The dough may be fabricated to be storable under refrigeration or freezing temperatures. The dough may be packaged under pressure, after proofing, or may be packaged in conjunction with proofing. The dough may be stored under pressure or may be stored at substantially ambient pressure by enclosing in a container that includes a pressure regulation mechanism. The dough may be stored and sold in a container that imparts a particular shape to the dough.

It has surprisingly been found that by combining soy flour with soy grits to make a soy protein fraction, added gluten, and, for some embodiments, starch, in a ratio of about 4:24:2, added gluten to soy flour + soy grits to starch, that the percent of soy protein that can be used to make bread is at least about 20% by weight. This quantity of protein can be added without sacrificing bread volume, texture, color, flavor or any other organoleptic property. Prior to the protein and/or phytochemical enhancing food ingredient of the present invention, it had been believed that soy flour in a concentration greater than 3% by weight of the product would produce a product having an unsatisfactory air cell structure and a reduced height. The dough and baked product of the present invention may have a soy protein concentration of at least about 10% by weight and may be up to about 25% by weight. These products have an air cell structure and height that are comparable to a soy-free leavened product made with wheat flour.

One benefit of the bread of the present invention is that the bread has a protein content of at least about 3 grams of soy protein per 50 grams of bread. At this high soy protein level, the bread has been found to have a desirable flavor which is not bitter or "beany" and a texture which is not a low volume, gummy or dense texture. Rather, the finished slice of bread has structural features and a height similar to wheat bread or potato bread. Furthermore, the bread is moist and slightly heavy in texture with a sweet, light, wheat flavor and may be enriched in phytochemicals. Dough made utilizing the ingredient of the present invention rises in accordance with expectations for a conventional yeast leavened wheat flour-based dough.

The protein and/or phytochemical enhancing food ingredient is suitable for use in preparing a yeast-leavened dough as well as a baked yeast-

leavened product. In one embodiment, active dry yeast was added to the dough in a concentration of 1.8 to 2.2 pounds per 100 pounds of wheat/defatted soy flour. It is believed that the protein and /or phytochemical enhancing food ingredient is also suitable for use in a dough or baked good product, which is  
5 leavened by both yeast and a chemical leavening system. The food ingredient may also be used in conjunction with unleavened batters and doughs and baked products, such as tortillas and pita bread, as well as chemically leavened products such as pancakes and waffles.

Other ingredients that may be added to make a dough, along with the  
10 protein and/or phytochemical enhancing ingredient of the present invention, include sodium stearoyl lactylate SSL. The SSL is added to extend freshness by softening the crumb as well as to aid in assuring an extra fine grade. Varying levels of SSL were tested. The highest bread volume and crumb softness was achieved at 12 ounces SSL per 100 pounds of wheat/defatted soy flour. Other  
15 conventional concentration ranges of yeast and SSL are also suitable for use, however. The concentrations described herein are presented for example only and are not intended to limit the scope of the present invention.

All purpose shortening was added to dough to soften the crumb structure of the baked dough product and to extend shelf life of the baked dough  
20 product as well as to extend shelf life of the dough itself. One concentration used was 3.47 pounds shortening per 100 pounds of wheat/defatted soy flour. It is understood that other conventional concentration ranges of shortening are usable in the present invention. The concentrations described herein are presented for example only and are not intended to limit the scope of the present  
25 invention.

Salt and sugar were added to achieve desired flavor parameters. The salt and sugar concentrations were controlled so as not to adversely affect the fermentation of the yeast leavened dough and baked dough product.

Water concentration added to the dough was monitored carefully due  
30 to the absorptive capacity of the defatted soy flour. The defatted soy flour aids in retaining moisture if properly hydrated. In one embodiment, water was added in a concentration of 84.9 pounds of water per 100 pounds of wheat and defatted

soy flour. It is understood, however, that other water concentrations may be suitable for other product embodiments.

Doughs were processed in a bread machine to control uniformity of mixing and proofing. A variety of mixing, kneading and rising times were tested with one desired condition determined to be about 37 minutes for the mixing/rising portion, a 40 minute first rise with a 20 second punchdown, then allowing the dough to rest for 10 minutes. It is understood, however, that other conventional times are suitable for used in the present invention and that the present invention is not bound by the times presented herein. The dough was then removed from the machine and shaped into loaf form for a final rise. Both straight dough, also known as "no-time" dough, and sponge doughs were prepared, each yielding similar baked dough products.

While wheat flour is described herein as being blended with soy flour, it is believed that other types of flours, such as corn, oat, potato, flax flour and meals may be added to make a multi-flour blend.

The examples presented herein are provided for illustrative purposes only and not to limit the scope of any embodiment of the present invention.

A yeast leavened bread made with soy flour was made with the following ingredients:

## Example 1

## Bread with Soy Flour and Gluten in the Natural Ratio

Ingredient	Grams	Percent
Defatted soy flour (200/70)	127.53	14.17
Bread flour	319.75	35.53
Vital Wheat Gluten, with Vit. C	17.39	1.93
Active Dry Yeast	8.55	0.95
Granulated Sugar	34.83	3.87
Salt, Fine prepared	8.10	0.90
Sodium Stearoyl Lactylate (SSL)	3.24	0.36
Shortening, all purpose	14.94	1.66
Water at 75 degrees Fahrenheit	365.67	40.63
Total	900.00	100.00

5

The bread flour was a Gold Medal flour, manufactured by General Mills, Inc. of Minneapolis, Minnesota. The vital wheat gluten was manufactured by Hodgson Mills. The dry yeast was manufactured by Fleischmanns. The sugar was a C&H granulated sugar. The shortening and salt were manufactured by Cargill of Minneapolis, Minnesota. The SSL was manufactured by ICI.

The ratio of gluten to soy flour was 17.39 gms/127.53 gms. or 0.14:1 gluten to soy flour. Water was added to an Oster 1.5 pound vertical bread machine, manufactured by Oster of McMinnville, TN. Dry ingredients, except for the yeast, were combined and added to a pan. A well was made in the dry ingredients and yeast was added. Shortening was then added on top of the dry ingredients. The mixture was processed on a No. 8 utilizing a 37 minute kneading/mixing time, a 40 minute rise time, a 20 second punchdown and a 10 minute rest period to make a dough.



The dough was removed from the pan with well greased hands. A loaf was shaped taking care not to break delicate gluten strands. The loaf was placed in a greased 4 x 8 inch bread pan, based upon bottom pan dimensions. The top of the loaf was greased and covered with wax paper. The loaf was  
5 allowed to rise until the loaf was 1 inch above the edge of the pan.

The loaf was baked in a preheated oven at 375 degrees Fahrenheit for 20 minutes. The loaf was covered with foil and baked an additional 20 minutes. The baked bread was removed from the pan immediately and allowed to cool on a cooling rack. The final cooled weight was 800 grams.

10 The soy flour content of the baked loaf was 15.88% after cook loss. The loaf had 7.94 grams of soy flour per 50 grams of bread and 4.13 grams of soy protein per 50 grams of bread. The baked bread had a very coarse texture that crumbled easily. The texture was not strong or uniform. Because of the coarse texture, it was believed that the product could not withstand handling  
15 typically associated with commercial bread manufacture. The bread had large air cells throughout, with larger pockets of compressed air cells throughout. The size of the air cells rendered the product unsuitable for many consumer purposes. The large air cells further weakened the bread structure. The bread had a crust which was bumpy and uneven. The appearance of the crust was uneven with  
20 respect to browning. The bread had a gummy mouthfeel. The bread product was made with a ratio of gluten to soy flour which was at the upper end of the natural ratio range.

A yeast-leavened bread dough was prepared with ingredients as listed:

## Example 2

## Bread Dough and Baked Bread of the Present Invention

Ingredient	Grams	Percent
Bread flour	303.39	33.71
Defatted Soy flour 200/70	127.53	14.17
Granulated sugar	34.83	3.87
Salt, fine prepared	8.10	0.90
Shortening, all purpose	14.94	1.66
Water 75 degrees F	365.67	40.63
Active Dry Yeast	8.55	0.95
Vital Wheat gluten, with vit. C	33.75	3.75
Sodium Stearoyl Lactylate (SSL)	3.24	0.36
Total	900.00	100.00

5

In order to prepare the dough, the water was added to an Oster 1 1/2 vertical bread machine pan. The Oster bread machine was manufactured by Oster of McMinnville, TN. Dry ingredients were combined and added to the bread machine pan. The dried materials included the yeast. The concentration of 14.17% soy flour corresponds to 42 pounds of soy flour per 100 pounds of wheat flour. Shortening was added on top of the dry ingredients. The ratio of gluten to soy flour for this dough was 33.75 gms/127.53 gms or 0.26:1 gluten to soy flour.

These ingredients were processed in the Oster bread machine with a profile of 37 minute mixing/kneading step, a 40 minute rise step, a 20 second punchdown step and a 10 minute rest step. The dough was then removed from the bread machine with well-greased hands. The dough was shaped into a loaf. Care was taken not to break delicate gluten strands. The shaped loaf was placed in a greased 4 inch by 8 inch bread pan. The top of the loaf was greased and covered with wax paper. The loaf was allowed to rise until it was at a height of

1 inch above an edge of the pan. The dough was then baked in a preheated oven at 375 degrees F for 20 minutes. The baked loaf was covered with foil and then allowed to bake an additional 20 minutes. At that time, the bread was removed from the pan immediately and allowed to cool on a cooling rack. The final cool  
5 yield baked product weighed 813 grams which is 90.33% of the original dough weight.

The baked product had a uniform and comparatively open air cell structure. The baked product had a much stronger and more uniform texture than the baked product of the first example. It was believed that the product  
10 could withstand manufacturing and transportation conditions typically encountered by commercial breads. Further, the uniform texture rendered the bread suitable for consumer applications. The bread could be used to make sandwiches and could receive a material like jelly, without the jelly passing through the air cells, as could have happened with the product of the previous  
15 example.

The baked product had a pleasant flavor and mouthfeel. The product did not impart a "gummy" mouthfeel. The baked product had an even color and a crust that was uniform and not bumpy. The baked product had a soy protein concentration of about 4.1 gms/50 gms.

20 In another example, a pasta product was prepared with soy flour.

### Example 3

#### Pasta Product with Soy Flour

25	Ingredient	Grams	Percent
	Semolina Flour	178.27	47.54
	Water	120.00	32.00
	Defatted Soy Flour, 200/70	61.88	16.50
	Vital Wheat Gluten, with Vit. C	14.85	3.96
	Total	375.00	100.00

In a 5 quart Kitchen Aid bowl, semolina flour and defatted soy flour manufactured by Cargill at Cedar Rapids, Iowa, were added and combined well using a flat beater. Water was added and combined with the flour at low speed until almost combined. A dough hook attachment, manufactured by KitchenAid, of Benton Harbor, Michigan, was then employed. Mixing was continued for another 8 minutes on low speed. The dough was covered and allowed to rest in the bowl for 30 minutes. A pasta maker with a fettucine head was provided.

The dough was passed through the pasta maker on setting Nos. 2 through 7, one step at a time. The dough had a gluten to soy protein ratio of 14.85/61.88 or 0.24:1 gluten to soy flour.

The finished pasta was formed into nests of 16 grams on drying racks. A fan was provided to aid drying the pasta. The dry weight ranged from 11.03 to 11.36 grams.

The dried pasta was cooked in boiling water, rinsed with cool water for 30 seconds and drained for 30 seconds. The pasta nests were then weighted. The cooked weights ranged from 22.47 grams to 23.84 grams.

The pasta had a very firm finished product. The product had no mealy or gummy mouthfeel, typically exhibited in pasta made with soy flour. The pasta did not have a bitter or "beany" flavor but a pleasant light wheat flavor with no aftertaste. The pasta is a good high protein, isoflavone-containing substitute to conventional wheat-based pasta. The soy protein content of the product was about 6.2 gms per 50 gms dry weight.

One other soy protein product is a wheat flour-soy tortilla product. Ingredients are as follows:

## Example 4

## What Flour - Soy Tortilla

Ingredient	Grams	Percent
AP flour	186.00	42.27
Salt, Iodized	2.1	0.48
Defatted Soy Flour, 200/70	34.96	7.94
Soybean Oil	56.00	12.72
Warm Water, Tap (100 F)	150.00	34.08
Gluten	11.04	2.51
Total	440.1	100

5

The AP flour was manufactured by the Pillsbury Company of Minneapolis, Minnesota. The defatted soy flour and salt were manufactured by Cargill, of Minneapolis, Minnesota. The gluten was manufactured by Hodgson Mills. The AP Model FP05, manufactured by Hamilton Beach/Procter Silex in Washington, North Carolina. Oil was added, then processed for 3 seconds to form a mixture. With the machine running, water was poured through a feedtube in a steady stream. The machine was run until dough formed into a ball. The dough had a medium to stiff consistency. If the dough was too stiff, small amounts of water were added and the amount was recorded. The dough had a ratio of gluten to soy of 11.04/34.96 or 0.32:1 gluten to soy flour.

The dough was weighed into 44 gram dough balls, covered, and allowed to rest for 30 minutes. The dough was then placed onto a base of a tortilla press and was pressed firmly until the tortilla was 4 inches to 4 1/2 inches in diameter. The tortilla was then transferred to a medium hot griddle. The tortilla was cooked for 2 minutes on each side until golden brown spots appeared randomly on each side. The cooked, cooled yield was recorded and ranged from 39.89 to 39.22 gms. The tortillas had about 3.0 gms of soy protein per 50 gm product.

There was no discernable difference in texture from a tortilla made with wheat flour, but no soy flour or added gluten only. The dough of the present invention was much less sticky than dough made with soy and no addition of gluten, rendering the pressing process much simpler. The dough was much more machinable and adaptable to commercial production.

Adding soy flour to replace one-fourth of the AP flour produced tortillas that had an appealing rich, full flavor. The flavor was better than the wheat based tortilla in that it had a "buttery" connotation.

One other product includes pancakes that have an elevated soy protein concentration.

The soy pancakes included the following ingredients:

Example 5

Soy Pancake

Ingredient	Grams	Percent
Defatted soy flour, 200/70	32.6	4.68
AP flour	162	23.24
Baking powder	16	2.3
Granulated sugar	15	2.15
Fresh egg, large beaten lightly	76	10.9
Salt	3	0.43
Milk, 2%	349	50.08
Soybean oil	33	4.73
Gluten	10.4	1.49
Total	697	100

All dry ingredients were mixed together until combined in a 5 quart Kitchen Aid mixer with a flat beater. Eggs were added along with skim milk and oil. These ingredients were mixed at the lowest speed until combined, for

about 30 seconds. The ratio of gluten to soy flour was 10.4/32.6 or 0.32:1 gluten to soy. A preheated griddle was sprayed at 350 Fahrenheit with nonstick cooking spray. 54 grams of batter was poured per pancake. The pancakes were cooked for two minutes on each side. The cooked weight ranged from 47.78 to  
5 48.32 grams.

The cooked pancakes displayed a volume substantially the same as a soy free pancake. The cooked pancakes had a moist and tender texture and a size that was 4 to 4 3/8 inches in diameter and 5/8 inches thick. The cooked pancakes contained isoflavones present in the soy flour.

10 While the invention has been particularly shown and described with reference to specified embodiments hereof, it will be understood by those skilled in the art that there are changes in form and details that may be made herein without departing from the spirit and scope of the invention.

## Claims

1. A food ingredient comprising soy grits and gluten wherein the ingredient is effective to make a food product having a structure substantially the same as a corresponding soy-free product made with wheat flour.
2. The food ingredient of claim 1 and further comprising soy flour to make a soy protein fraction wherein soy grits comprise up to 100% of the soy protein fraction.
3. The food ingredient of claim 1 wherein the soy grits are defatted.
4. The food ingredient of claim 2 wherein the ratio of weight percent gluten to soy flour is at least about 1:1.5.
5. The food ingredient of claim 1 wherein the gluten is wheat gluten.
6. The food ingredient of claim 1 wherein the soy grits comprise isoflavones.
7. The food ingredient of claim 1 and further comprising a container for the gluten and soy grits wherein the gluten and soy grits are mixed together to form a dry mix in the container.



8. The food ingredient of claim 1 and further comprising a first container for storing the gluten and a second container for storing the soy grits.

9. A dry mix comprising the food ingredient of claim 1.

5

10. The dry mix of claim 9 and further comprising wheat flour.

11. The food ingredient of claim 1 and further comprising starch.

10 12. The food ingredient of claim 1 and further comprising L-cysteine.

13. A kit for making a baked good, comprising the dry mix of claim 9 and a container for baking the baked good.

15 14. The kit of claim 13 wherein the container has a shape of a hamburger bun or a hot dog bun.

15 15. The kit of claim 13 wherein the baked good is selected from the group consisting of French bread, Italian bread, brioche, wheat bread, egg bread, pizza  
20 crust, baguettes, bagels, potato bread, variety bread, bread sticks, rolls, pie crust, tortillas, pita bread, flatbread, multigrain bread, calzones, pancakes and waffles.

16. A dry mix comprising gluten, soy grits and soy flour.

17. The dry mix of claim 16 and further comprising wheat flour.

18. The dry mix of claim 16 and further comprising starch.

5

19. The dry mix of claim 16 and further comprising L-cysteine.

20. A kit for making a food product, comprising:

a package enclosing gluten;

10 a package enclosing soy grits; and

printed indicia providing instructions for blending the gluten and soy grits so that  
a ratio is about 1:1.5 weight percent gluten to soy grits is produced.

21. A method for increasing soy protein content in wheat bread without  
15 increasing water absorption, density or fragility of the bread, comprising:

Providing soy grits;

Providing gluten;

Preparing a dough comprising the soy grits and

Gluten, and wheat flour; and

20 Baking the dough to make wheat bread.

22. A baked unleavened product comprising soy protein comprising grits, and added gluten in a concentration effective to produce a structure in the baked unleavened product substantially the same as a corresponding soy-free product made with wheat flour.

5.

23. The baked unleavened product of claim 22 wherein the soy protein further comprises soy flour.

24. The baked unleavened product of claim 23 and further comprising starch.

10

25. A food ingredient comprising soy flour and gluten wherein a ratio of gluten to soy flour in the ingredient is greater than a natural ratio of gluten to wheat flour and wherein the ingredient is effective to make a food product having a structure substantially the same as a corresponding soy-free product made with wheat flour.

15

26. The food ingredient of claim 25 wherein the ratio of gluten to defatted soy flour is at least about 0.20:1.

20 27. The food ingredient of claim 25 wherein the ratio of gluten to defatted soy flour is about 0.40:1.

28. The food ingredient of claim 25 and further comprising a container for the gluten and soy flour wherein the gluten and soy flour are mixed together to form a dry mix in the container.

25

29. A dry mix comprising the food ingredient of claim 25.
30. A kit for making a baked good, comprising the dry mix of claim 29 and a  
5 container for baking the baked good.
31. The kit of claim 30 wherein the baked good is selected from the group  
consisting of French bread, Italian bread, brioche, wheat bread, buns, egg bread,  
pizza crust, baguettes, bagels, potato bread, variety bread, bread sticks, rolls, pie  
10 crust, tortillas, pita bread, flatbread, multigrain bread, calzones, pancakes and  
waffles.
32. A baked leavened product with a substantially uniform air cell structure,  
comprising soy flour and gluten in a concentration wherein the gluten  
15 concentration is greater than a natural ratio of gluten concentration in wheat  
flour.
33. The baked leavened product of claim 32 wherein the gluten concentration is  
a ratio of about 0.20:1 to about 0.40:1 gluten to soy flour.
- 20
34. The baked leavened product of claim 32 wherein the soy flour concentration  
is greater than about 8% by weight of the baked product.
35. The baked leavened product of claim 32 wherein the baked leavened  
25 product is selected from the group consisting of French bread, Italian bread,

brioche, wheat bread, egg bread, potato bread, variety bread, buns, pizza crust, baguettes, multigrain bread, bread sticks, rolls, pancakes, waffles, and bagels.

36. A baked unleavened product that comprises soy flour and gluten wherein a  
5 ratio of gluten to soy is greater than a natural ratio of gluten to wheat flour.

37. The baked unleavened product of claim 36 wherein the soy flour concentration is greater than 8 percent by weight of the product.

- 10 38. A kit for making a dried dough wherein the dried dough is pasta, comprising the dry mix of claim 29.

39. The kit of claim 38 wherein the pasta is selected from the group consisting of fettuccine, macaroni, spaghetti, rigatoni, fucilli, linguine, cannelloni, ravioli,  
15 trenette, lasagne and noodles.

## INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 00/35524

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A21D2/26 A21D2/36 A21D10/00 A21D13/04

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A21D A23L A23J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ, FSTA

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 37 08 622 A (ULDO BACKMITTEL GMBH) 29 September 1988 (1988-09-29)  claims 1-5	1-5, 9, 10, 16, 21, 25, 26, 29, 32, 35
X	US 3 497 360 A (SCHAEFER HUGO J ET AL) 24 February 1970 (1970-02-24) example D column 6, line 1-10 claims 4, 5, 8, 9	25, 26, 28-32, 35
X	US 5 320 859 A (NAMDARI BAHRAM) 14 June 1994 (1994-06-14)  examples 2-5 claim 1	25-27, 32-34, 36, 37
-/-		



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*Z\* document member of the same patent family

Date of the actual completion of the international search

28 August 2001

Date of mailing of the international search report

05/09/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Piret-Viprey, E

## INTERNATIONAL SEARCH REPORT

Int'l Application No  
PCT/US 00/35524

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 143 391 A (VANLOMME FLORENT H) 5 June 1985 (1985-06-05) page 3, line 19 -page 5, line 22 page 7, line 6 -page 9, line 6 claims 1-3,7 ---	25,26, 29,36,37
X	GB 1 448 875 A (GEN FOODS CORP) 8 September 1976 (1976-09-08) examples I,II,V,XII, claims 1,3 ---	1,5,9,10
X	US 3 713 837 A (LEIDY H ET AL) 30 January 1973 (1973-01-30) example 1 ---	1,5,9,10
A	MOOSBERG: "The use of soy grits in institutional feeding" SOYBEAN DIGEST, vol. 30, no. 1, 1969, pages 26-27, XP001016114 the whole document -----	1

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/35524

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 3708622 A	29-09-1988	NONE	
US 3497360 A	24-02-1970	NONE	
US 5320859 A	14-06-1994	NONE	
EP 0143391 A	05-06-1985	BE 898217 A BE 899597 A AT 71491 T DE 3485454 A	14-05-1984 07-11-1984 15-02-1992 27-02-1992
GB 1448875 A	08-09-1976	US 3886299 A US 3886298 A AU 475775 B AU 5994573 A CA 1016390 A CH 584011 A DE 2349566 A ES 418895 A FI 55286 B FR 2207656 A JP 1121698 C JP 49081563 A JP 57013253 B NL 7313577 A NO 139661 B SE 392563 B CA 1014788 A IT 1047006 B	27-05-1975 27-05-1975 02-09-1976 06-03-1975 30-08-1977 31-01-1977 30-05-1974 16-03-1976 30-03-1979 21-06-1974 12-11-1982 06-08-1974 16-03-1982 28-05-1974 15-01-1979 04-04-1977 02-08-1977 10-09-1980
US 3713837 A	30-01-1973	NONE	